

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Applicant : Thomas G. Lacey, et al.  
Serial No. :  
Filed : Herewith  
Title : MOLDING OF FASTENERING HOOKS AND OTHER DEVICES

**Attention: Official Draftsman**

Commissioner for Patents  
Washington, D.C. 20231


TRANSMITTAL OF FORMAL DRAWINGS

Enclosed are 25 sheets of formal drawings for the corresponding drawings presently in the application.

Please apply any charges or credits to Deposit Account No. 06-1050.

Respectfully submitted,

Date: December 21, 2000

  
\_\_\_\_\_  
James W. Babineau  
Reg. No. 42,276

Fish & Richardson P.C.  
225 Franklin Street  
Boston, MA 02110-2804  
Telephone: (617) 542-5070  
Facsimile: (617) 542-8906

20167559.doc


CERTIFICATE OF MAILING BY EXPRESS MAIL

Express Mail Label No. EL485677475US

I hereby certify under 37 CFR §1.10 that this correspondence is being deposited with the United States Postal Service as Express Mail Post Office to Addressee with sufficient postage on the date indicated below and is addressed to the Commissioner for Patents, Washington, D.C. 20231.


December 21, 2000

Date of Deposit


  
\_\_\_\_\_  
Signature

Victor M. Malone  
\_\_\_\_\_  
Typed or Printed Name of Person Signing Certificate







**FIG. 2C**



**FIG. 2A**



**FIG. 2B**



**FIG. 2D**




FIG. 2






FIG. 3


**FIG. 4**






**FIG. 4A**


**FIG. 4B**



**FIG. 8A**



**FIG. 8B**



**FIG. 4C**




FIG. 4D






FIG. 5A




FIG. 5B






FIG. 6

300




**FIG. 7A**

301




**FIG. 7B**

302




**FIG. 7C**


303




**FIG. 7D**




**FIG. 7E**




**FIG. 7F**




**FIG. 7G**




**FIG. 7H**




**FIG. 7I**




**FIG. 7J**




**FIG. 7K**



**FIG. 9A**




**FIG. 9B**



**FIG. 12**



**FIG. 10C**



**FIG. 10A**



**FIG. 10B**






FIG. 11A







**FIG. 11B**




**FIG. 13**



**FIG. 13A**



**FIG. 13B**



**FIG. 14**




FIG. 15





FIG. 16



**FIG. 17A**



**FIG. 17B**



**FIG. 17C**








FIG. 20




FIG. 20A







**FIG. 21**




**FIG. 21B**



**FIG. 21A**




**FIG. 23**




**FIG. 22**




FIG. 23A is a perspective view of a first embodiment of a device 470. The device 470 includes a body 472 and a protrusion 474. The body 472 is elongated and has a dashed line 476 indicating a longitudinal axis. The protrusion 474 is located at one end of the body 472 and has a dashed line 478 indicating a longitudinal axis.




**FIG. 23A**




**FIG. 23B**



**FIG. 23C**



**FIG. 24**



**FIG. 25**